



<p>④ 4" LED c/w SEALED POLYCARB IP65 DIFFUSERS</p> <p>SINGLE LIGHT SWITCH</p> <p>LL DOUBLE SOCKET @300 CL FFL</p> <p>HL DOUBLE SOCKET @1200 CL FFL</p>	<p>(SP) SINGLE PHASE CONSUMER UNIT (METAL CLAD)</p> <p>IP67 63AMP EXTERNAL ISOLATOR SWITCH - CED 63A</p> <p>IP67 32AMP INLET GEWISS - GEW 60437</p> <p>SUPPLY IP67 32AMP CONNECTOR GEWISS 62037H</p> <p>ISOLATOR AND INLET TO BE FITTED @ HIGH LEVEL IN RECESSED BOX</p>	<p>(HC) CONSORT WIRELESS SLPBG CONTROLLER TO BE @ 1335 CL FFL IN LINE WITH LIGHT SWITCH -PRODUCT CODE: 70849</p> <p>2KW CONSORT WIRELESS DOWN FLOW HEATER (CODE: 704860)</p>		<p>3' x 3' ALUMINUM DOUBLE GLAZED SLIDING WINDOW c/w SHUTTERS</p> <p>910 X 2065 EXTERNAL DOOR</p> <p>LADDER BRACKETS</p> <p>HIGH/LOW LEVEL VENTS</p> <p>ROOF VENTS</p> <p>LOW LEVEL LIFTING LUGS (SEE DETAIL) TO GABLE ELEVATIONS</p>
--	--	--	--	---



INTERNAL HEIGHT - 2140MM

25MM BASE PLATES

2260MM PANEL HEIGHT

76 X 38 R.S.C TOP RAIL

100 X 50 R.S.C BOTTOM RAIL

DECAL PLATES - 860 X 330

FITTED 305MM DOWN FROM UNDERSIDE OF TOP RAIL

ELECTRICAL INSTRUCTION

ALL SOCKETS TO BE IN RADIAL CIRCUIT

FIT DRY LINING BOXES

Fittings	Yes	No	General Specifications:		Amendments/Additions to Specifications: +/- 5mm TOLERANCE																																							
Fork pockets:	X		Wall boards:	EGB2006-GREY SPECKLE	EXTERNAL COLOUR - BS 12 B 17 (GREEN)																																							
Wiring System:	6242YH to BS 6004		Flooring:	POLYFLOOR- GREY	FORK POCKETS @ 1795mm CENTRES																																							
Checked and Signed			Cabin Profile:	PROFILE - 1	ALL TRIMS TO BE WHITE (USE T-TRIMS)																																							
Customer:			Insulation:	50MM SLAB INSULATION																																								
Sales:			Kitchen:																																									
Production:			Drawing No:	STACK - 8198	2135mm x 2135mm GATEHOUSE																																							
			Job No:																																									
<table border="1"> <tr> <td>8</td> <td>05.03.19</td> <td>Heater Spec Update & LL Lift Detail Removed</td> <td>RB.WS.PW</td> </tr> <tr> <td>7</td> <td>26.03.18</td> <td>Heater / CU Update</td> <td>NP.IC</td> </tr> <tr> <td>6</td> <td>12.03.18</td> <td>Update Spec 2018</td> <td>RB</td> </tr> <tr> <td>5</td> <td>19.06.17</td> <td>CU and inlet revised</td> <td>NP.KL</td> </tr> <tr> <td>4</td> <td>12.06.17</td> <td>Lifting eyes to gable ends</td> <td>NP.PW</td> </tr> <tr> <td>3</td> <td>15.05.17</td> <td>Worktop amendment</td> <td>NP.AW</td> </tr> <tr> <td>2</td> <td>10.05.17</td> <td>LLL & Ladder brkts added</td> <td>NP.AW</td> </tr> <tr> <td>1</td> <td>22.03.17</td> <td>FIRST ISSUE</td> <td>NP</td> </tr> <tr> <td>Issue</td> <td>Date</td> <td>Amendments</td> <td>Drawn</td> </tr> </table>							8	05.03.19	Heater Spec Update & LL Lift Detail Removed	RB.WS.PW	7	26.03.18	Heater / CU Update	NP.IC	6	12.03.18	Update Spec 2018	RB	5	19.06.17	CU and inlet revised	NP.KL	4	12.06.17	Lifting eyes to gable ends	NP.PW	3	15.05.17	Worktop amendment	NP.AW	2	10.05.17	LLL & Ladder brkts added	NP.AW	1	22.03.17	FIRST ISSUE	NP	Issue	Date	Amendments	Drawn		
8	05.03.19	Heater Spec Update & LL Lift Detail Removed	RB.WS.PW																																									
7	26.03.18	Heater / CU Update	NP.IC																																									
6	12.03.18	Update Spec 2018	RB																																									
5	19.06.17	CU and inlet revised	NP.KL																																									
4	12.06.17	Lifting eyes to gable ends	NP.PW																																									
3	15.05.17	Worktop amendment	NP.AW																																									
2	10.05.17	LLL & Ladder brkts added	NP.AW																																									
1	22.03.17	FIRST ISSUE	NP																																									
Issue	Date	Amendments	Drawn																																									